# RESSLER-SWISS PRODUCT BOOK 2021/2022

ENGLISH K=1\\=X k=1\$\$=X SWISS MADE



# CONTENT

100% SWISS MADE	4
TECHNOLOGY	6
SKI	
THE PYTHON	9
THE PHANTOM	10
THE PHANTOM-S	11
THE PANDORA	12
THE PANDORA-S	13
THE HELIX	14
THE SPIRIT	15
SNOWBOARD	
X-CARVE	17
THE ALPINE	18
THE CROSS	19
THE CROSS LIGHT	20
SPECTRA	21
ACCESSOIRES	
SKI BINDINGS	23
SKI ACCESSOIRES	24
SNOWBOARD BINDINGS	25
SNOWBOARD PLATES AND COVERS	25
CONTACT	28
DISTRIBUTION	28

Prices and product specifications subject to change.

Version: 04.02.2021


# 100% SWISS MADE

#### **MANUFACTURE**

Every ski and snowboard is designed, developed and produced in Schwanden in the Canton of Glarus. Precise handiwork and a love for detail guarantee that our products are of the highest quality possible.

From the first blueprints to the wellengineered end products, our skis and snowboards go through elaborate development and production processes. Swiss craftsmanship paired with modern technology ensure that our products meet the highest quality and performance standards.

The results are perfectly handcrafted products - Made in Switzerland.











#### **PRODUCTION SITE IN SWITZERLAND**

By manufacturing our products exclusively in Switzerland, we deliberately set up a countertrend in the ski industry. This has significant advantages in many respects. Thanks to the local infrastructure, new ideas and feedback from nearby test routes can directly influence our products. By controlling every production process, we can ensure that innovative developments are integrated into our products to ensure their high quality and performance.

«Modern production technology, as well as

nearby test routes, form the backbone

of our well-engineered and high-quality products.»

# TECHNOLOGY

#### **TIMELESS DESIGN**

We demand the highest quality from our raw materials and handle them with passion and precision. Beneath the timeless and spatially optimized surface of our products are only premium materials.

The exquisite wood at the core is still the best recipe against unwanted vibration and for high performance. Depending on the area of application, the selected sidewall materials ensure maximum ice grip. Every component of Kessler products deserves the «Premium» seal according to our credo: «Pure Exterior, Maximum Power Interior.»

# PURE EXTERNAL AESTHETICS...








# ...MAXIMIZED INTERNAL PERFORMANCE

#### PATENTED TECHNOLOGY

KST (Klothoid Shape Technology) is the patented technology used in all of our products. This type of construction was originally developed for snowboard racing and was successfully adopted for the manufacture of skis. With KST, different radii, which are achieved depending on the angle of the skis, define the driving line. As a result, the ski is more versatile. Small, tight curves, as well as wide curves, are possible with the same ski.

The original construction has been constantly perfected during the last 20 years thanks to the close collaboration with Olympians and world champions. This experience can be felt in every product and is revealed through the high performance and easy handling of every one of our skis and snowboards.



Patent CH697123

«The secret of KST is the dynamic interplay between the baseline and the sidecut.»





PERFORMANCE, QUALITY AND SWISS CRAFTSMANSHIP

# THE PYTHON

The performance of a World Cup ski paired with the unique Kessler Shape Technology make the PYTHON the sportiest Kessler ski that has ever existed. Ambitious skiers will appreciate the benefits of the new construction method, which, together with the increased amount of built-in Titanal, ensures that the ski has more torsional stiffness, provides a better grip on ice, and is nevertheless lighter. The optimized stiffness distribution of the PYTHON ensures an impressive riding experience when making short turns on steep slopes and for long carving turns as well.

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

#### CHARACTERISTICS

	STYLE	
•••••	RACING	•••••
••••	CARVING	•••••
•••••	ALL MTN	•••••
	FREERIDE	•••••
	RADIUS	
••••	TIGHT	•••••
•••••	WIDE	•••••
	•••••	RACING CARVING ALL MTN FREERIDE  RADIUS TIGHT


#### **SPECIFICATIONS**

Length	1.54 m	1.60 m	1.66 m	1.72 m
Tip width	123 mm	124 mm	125 mm	123 mm
Waist width	68 mm	68 mm	68 mm	68 mm
Tail width	105 mm	106 mm	107 mm	106 mm
Side Cut Range	8.5-10.5 m	9.5 –12.5 m	10 –13.5 m	11 –15 m

#### **OPTIONS**

ArtNo.	Length			
KS70.340 Python flat	1.54 m	1.60 m	1.66 m	1.72 m
KS70.342 Python RP w. Race Plate	1.54 m	1.60 m	1.66 m	1.72 m

Recommended Bindings: KS71.074 PRD 12 GW, KS71.021 RACE ST 14



# THE PHANTOM

Is compromise not your thing? Will only the best equipment do? Then you want THE PHANTOM! It provides easy handling and superior racing capability along with unprecedented grip on the edges. This is combined with ultimate stability and extreme comfort, whether going at top speed or simply in cruise mode. THE PHANTOM provides uncompromised performance.

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

#### **CHARACTERISTICS**

LEVEL BEGINNER ADVANCED EXPERT	•••••	STYLE RACING CARVING ALL MTN FREERIDE	
SPEED MODERATE FAST	•••••	RADIUS TIGHT WIDE	••••••

#### **SPECIFICATIONS**

Length	1.57 m	1.63 m	1.69 m	1.75 m
Tip width	125 mm	124 mm	125 mm	123 mm
Waist width	68 mm	68 mm	70 mm	70 mm
Tail width	108 mm	108 mm	108 mm	108 mm
Side Cut Range	6.5-12 m	7–13 m	8-14.5 m	11 –16 m

#### **OPTIONS**

ArtNo.	Length			
KS70.310 Phantom flat	1.57 m	1.63 m	1.69 m	1.75 m
KS70.311 Phantom TFB w. Triflex Base	1.57 m	1.63 m	1.69 m	1.75 m

Recommended Binding: KS71.074 PRD 12 GW



# THE PHANTOMS

The side cut and reduced upward bend allows motions to be fluid and direct and the reaction time of the PHANTOM-S has also been reduced. Turns can be taken even faster and with more precision. Its patented Kessler Shape Technology (KST) also ensures the ease of use and maximum control. Thanks to variable radii, the performance secrets of Kessler-Swiss, one experiences the new driving experience of the PHANTOM-S at the highest level.

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

#### **CHARACTERISTICS**

LEVEL		STYLE	
BEGINNER	•••••	RACING	•••••
ADVANCED	•••••	CARVING	•••••
EXPERT	•••••	ALL MTN	•••••
		FREERIDE	•••••
SPEED		RADIUS	
MODERATE	•••••	TIGHT	•••••
FAST	•••••	WIDE	••••••

#### **SPECIFICATIONS**

Length	1.60 m	1.66 m	1.72 m	1.78 m
Tip width	124 mm	125 mm	123 mm	119 mm
Waist width	68 mm	68 mm	68 mm	68 mm
Tail width	106 mm	107 mm	106 mm	101 mm
Side Cut Range	9.5-12.5 m	10-13.5 m	11 –15 m	14–18 m

#### **OPTIONS**

ArtNo.	Length			
KS70.330 Phantom-S flat	1.60 m	1.66 m	1.72 m	1.78 m
KS70.331 Phantom-S TFB w. Triflex Base	1.60 m	1.66 m	1.72 m	1.78 m
KS70.332 Phantom-S RP w. Race Plate	1.60 m	1.66 m	1.72 m	1.78 m

SWISS MADE

Recommended Bindings: KS71.074 PRD 12 GW, KS71.020 FFP 12

# THE PANDORA

Women's liberation in skiing: THE PANDORA, the first high-performance women's ski. Thanks to a rigorous application of Kessler Shape Technology (KST), this ingenious lightweight solution combines snow riders' needs with feminine geometry. The result: a ski that packs a powerful punch with breathtaking skiing style. Girlie skis and flower designs? No way!

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

#### **CHARACTERISTICS**

BEGINNER ADVANCED EXPERT	•••••	RACING CARVING ALL MTN	•••••
SPEED MODERATE FAST	•••••	RADIUS TIGHT WIDE	••••••


#### **SPECIFICATIONS**

Length	1.51 m	1.57 m	1.63 m
Tip width	119 mm	125 mm	124 mm
Waist width	66 mm	68 mm	68 mm
Tail width	103 mm	108 mm	108 mm
Side Cut Range	6.5-12 m	6.5-12 m	7–13 m

#### OPTIONS

ArtNo.	Length		
KS70.350 Pandora flat	1.51 m	1.57 m	1.63 m
KS70.351 Pandora SLRB w. Superlite Base	1.51 m	1.57 m	1.63 m

Recommended Binding: KS71.035 SLR 10 GW



# THE PANDORAS

Do you think only men have the right to power? Then why would we have developed THE PANDORA-S? With THE PANDORA-S, we provide you with the ultimate carving device, with the same features that also characterize THE PHANTOM and THE PHANTOM-S. The variable radii provided by Kessler Shape Technology ensures optimum driving performance, easy handling and high performance. All with a simply beautiful, discreet look for the most ambitious sportswomen.

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec brushed Topsheet

#### **CHARACTERISTICS**

LEVEL		STYLE	
BEGINNER	••••	RACING	•••••
ADVANCED	•••••	CARVING	•••••
EXPERT	•••••	ALL MTN	•••••
		FREERIDE	•••••
SPEED		RADIUS	
MODERATE	•••••	TIGHT	•••••
FAST	•••••	WIDE	•••••


#### **SPECIFICATIONS**

Length	1.54 m	1.60 m	1.66 m
Tip width	123 mm	124 mm	125 mm
Waist width	68 mm	68 mm	68 mm
Tail width	105 mm	106 mm	107 mm
Side Cut Range	8.5-10.5 m	9.5 –13 m	10-13.5 m

#### **OPTIONS**

ArtNo.	Length		
KS70.370 Pandora-S flat	1.54 m	1.60 m	1.66 m
KS70.371 Pandora-S SLRB	1.54 m	1.60 m	1.66 m
w. Superlite Base			

Recommended Binding: KS71.035 SLR 10 GW



# THE HELIX

Are you ambitious but want things to stay relaxed? Then choose the chilledout cousin of the THE PHANTOM. Because if you're not chasing a gold medal but still want total speed and bliss on the slopes, then THE HELIX is the perfect concept for you. THE HELIX offers high levels of safety with its clever edge grip and a reduced need for strength, making the rider and ski appear as one. THE HELIX is for pure riding pleasure!

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

#### CHARACTERISTICS

LEVEL		STYLE	
BEGINNER	••••••	RACING	••••••
ADVANCED	••••••	CARVING	•••••
EXPERT	••••••	ALL MTN	•••••••
		FREERIDE	••••••
SPEED		RADIUS	
MODERATE	••••••	TIGHT	•••••••
FAST	•••••	WIDE	••••••

#### **SPECIFICATIONS**

Length	1.66 m	1.74 m	1.82 m
Tip width	125 mm	124 mm	123 mm
Waist width	74 mm	74 mm	74 mm
Tail width	110 mm	108 mm	107 mm
Side Cut Range	10.5–14 m	12.5 –16 m	14–18 m

#### **OPTIONS**

ArtNo.	Length		
KS70.065 Helix flat	1.66 m	1.74 m	1.82 m
KS70.066 Helix TFB	1.66 m	1.74 m	1.82 m
w. Triflex Base			

Recommended Binding: KS71.074 PRD 12 GW



# THE SPIRIT

Freeriding soul and carvin power come together to form the perfect all-mountain ski. It offers the ideal balance between flex and edge grip, and allows effortless stable turns at all speeds whilst being flexible enough to adapt to your individual personal style!

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

#### **CHARACTERISTICS**

LEVEL		STYLE	
BEGINNER	•••••	RACING	•••••
ADVANCED	•••••	CARVING	••••••
EXPERT	•••••	ALL MTN	•••••
		FREERIDE	••••••
SPEED		RADIUS	
MODERATE	•••••	TIGHT	•••••
FAST	•••••	WIDE	••••••


#### **SPECIFICATIONS**

Length	1.71 m	1.78 m
Tip width	122 mm	126 mm
Waist width	85 mm	88 mm
Tail width	113 mm	118 mm
Side Cut Range	15–19 m	16-20 m

#### **OPTIONS**

ArtNo.	Length	
KS70.156 Spirit flat	1.71 m	1.78 m
KS70.157 Spirit TFB w. Triflex Base	1.71 m	1.78 m

Recommended Binding: KS71.074 PRD 12 GW







PERFORMANCE, QUALITY AND SWISS CRAFTSMANSHIP

# X-CARVE

X-CARVE, the new board from Kessler's range of snowboards, provides for even faster and more precise carving. The proven construction of Kessler snowboards with multiple titanium layers ensures that the board rides smoothly and has torsional stiffness. A progressively decreasing sidecut in the tail area paired with the modern design at the front raises the carving experience to a new level. The board's width and 6x2 inserts give you increased flexibility to achieve your optimal binding setting.

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

#### **CHARACTERISTICS**

LEVEL		STYLE	
BEGINNER	•••••	RACING	•••••
ADVANCED	•••••	CARVING	•••••
EXPERT	•••••	ALL MTN	•••••
		FREERIDE	•••••


#### **SPECIFICATIONS**

Length	1.54m	1.59 m	1.64 m
Tip width	304 mm	308 mm	309 mm
Waist width	250 mm	255 mm	260 mm
Tail width	289 mm	293 mm	294 mm
Side Cut Average	9.5 m	10.5 m	12.5 m
Side Out Avelage	7.3111	10.3111	12.3 111
Recommended stance	540 mm	550 mm	570 mm
Stance range (mm)	460-580	470-590	490-610
Rider weight	48-65 kg	55–75 kg	60-85 kg
	<b>.</b>		

#### OPTIONS

ArtNo.	Color	Length		
KS90.040 X-CARVE	black	1.54 m	1.59 m	1.64 m
KS90.041 X-CARVE	white	1.54 m	1.59 m	1.64 m

Specifically developed for the X-CARVE:
Art.-No.: KS91.032 K.Plate Rocket Cross



# THE ALPINE

No other board has won more medals or titles at international events than THE AL-PINE. Snowboarding professionals around the world highly rate the steady edge grip and the control provided in all conditions due to the Kessler Shape Technology. THE ALPINE provides easy handling when competing and racing, as well as during freestyle carving on icy terrain. Feel at ease from the very first turn, no matter what level you are at. Ambitious carvers love the THE ALPINE!

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- ABS Sidewalls
- sintered Base

#### **CHARACTERISTICS**

LEVEL	
BEGINNER	••••••
ADVANCED	•••••
EXPERT	•••••

RACING CARVING ALL MTN FREERIDE



#### **SPECIFICATIONS**


Length	1.50 m	1.56 m	1.62 m	1.68 m	1.71 m	1.80 m	1.85 m
Tip width	251 mm	258 mm	264 mm	268 mm	248 mm	250 mm	251 mm
Waist width	190 mm	195 mm	200 mm	202 mm	195 mm	200 mm	202 mm
Tail width	235 mm	241 mm	246 mm	250 mm	232 mm	232 mm	233 mm
Side Cut Range	7–10 m	7–11 m	7–12 m	8–12 m	9–16 m	11.5–19 m	12–21 m
Recommended stance	440 mm	460 mm	500 mm	500 mm	480 mm	500 mm	500 mm
Stance range (mm)	400-480	420-500	460-540	460-540	440-520	460-540	460-540
Rider weight	45-65 kg	55–75 kg	65-95 kg	65-95 kg	55-80 kg	60-85 kg	75–100 kg

#### **OPTIONS**

ArtNo.		Color	Length						
KS90.013	The Alpine	black	1.50 m	1.56 m	1.62 m	1.68 m	1.71 m	1.80 m	1.85 m
KS90.023	The Alpine	white	1.50 m	1.56 m	1.62 m	1.68 m	1.71 m	1.80 m	1.85 m
KS90.013.ALF	The Alpine	black		1.56 m	1.62 m	1.68 m	1.71 m	1.80 m	1.85 m
KS90.023.ALF	The Alpine	white		1.56 m	1.62 m	1.68 m	1.71 m	1.80 m	1.85 m

ALF:

ALLFLEX narrow fits for ALPINE 1.56 m, 1.71 m ALLFLEX wide fits for ALPINE 1.62 m, 1.68 m, 1.80 m, 1.85 m





# THE CROSS

It is amazing how easy carving can be with a soft boot and surprising how smoothly THE CROSS handles in all types of conditions. THE CROSS is the ultimate all-round board concept from the Kessler snowboard range and has made its mark in the world of snowboarding! Gold medals at Winter Olympic Games and at World Championships were won with THE CROSS in Boarder-X.

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

#### **CHARACTERISTICS**

LEVEL		STYLE	
BEGINNER	•••••	RACING	•••••
ADVANCED	•••••	CARVING	•••••
EXPERT	•••••	ALL MTN	•••••
		FREERIDE	•••••

#### **SPECIFICATIONS**

Length	1.48 m	1.53 m	1.58 m	1.63 m	1.68 m
Tip width	290 mm	294 mm	297 mm	304 mm	310 mm
Waist width	238 mm	242 mm	246 mm	250 mm	258 mm
Tail width	275 mm	279 mm	282 mm	289 mm	296 mm
Side Cut Range	6-9.5 m	6.5-9.5 m	7–10 m	8–11 m	9–12 m
Recommended stance	500 mm	520 mm	540 mm	560 mm	580 mm
Stance range (mm)	460-540	480-560	500-580	520-600	540-620
Rider weight	40-55 kg	48-65 kg	55-75 kg	60-85 kg	75-98 kg

#### **OPTIONS**

ArtNo.	Color	Length				
KS90.053 The Cross	black	1.48 m	1.53 m	1.58 m	1.63 m	1.68 m

Specifically developed for THE CROSS:
Art.-No.: KS91.032 K.Plate Rocket Cross





# THE CROSS light

Lighter build, easier to control, easier to ride. For light riders who don't want weak boards, but demand as much bite and the same performance as the heavy hitters. THE CROSS LIGHT combines the uncompromising champion properties of THE CROSS with additional effortless control and the best handling. For sheer driving pleasure at the highest level.

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

#### **CHARACTERISTICS**

LEVEL		STYLE	
BEGINNER	••••••	RACING	•••••
ADVANCED	••••••	CARVING	•••••
EXPERT	•••••••	ALL MTN	••••••
		FREERIDE	••••••

#### **SPECIFICATIONS**

Length	1.48 m	1.53 m	1.58 m	1.63 m
Tip width	290 mm	294 mm	297 mm	304 mm
Waist width	238 mm	242 mm	246 mm	250 mm
Tail width	275 mm	279 mm	282 mm	289 mm
Side Cut Range	6-9.5 m	6.5-9.5 m	7–10 m	8–11 m
Recommended stance	500 mm	520 mm	540 mm	560 mm
Stance range (mm)	460-540	480-560	500-580	520-600
Rider weight	35-50 kg	45-60 kg	50-65 kg	55-70 kg

#### **OPTIONS**

ArtNo.	Color	Length			
KS90.062 The Cross light	white	1.48 m	1.53 m	1.58 m	1.63 m

Specifically developed for THE CROSS light: Art.-No.: KS91.032 K.Plate Rocket Cross





# SPECTRA

Are you ready for freshly snow-covered powdered slopes or hard pistes? With the new SPETRA, come what may. The board's uncompromising power ensures a breathtaking performance for every snow condition. The slightly softer core provides for a more playful nature, without losing edge grip or torsional strength.

The additional use of carbon layers provides plenty of pop and an extremely fast response time of the board.

No matter what comes your way, you're ready with the new SPECTRA.

#### **FEATURES**

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Construction
- optimized K.TecBP woodcore
- ABS Sidewalls
- sintered Base

#### CHARACTERISTICS

LEVEL		STYLE	
BEGINNER	•••••	RACING	•••••
ADVANCED	••••	CARVING	•••••
EXPERT	•••••	ALL MTN	•••••
		FREERIDE	•••••

#### **SPECIFICATIONS**

Length	1.48 m	1.53 m	1.58 m	1.63 m	1.68 m
Tip width	290 mm	294 mm	297 mm	304 mm	310 mm
Waist width	238 mm	242 mm	246 mm	250 mm	258 mm
Tail width	275 mm	279 mm	282 mm	289 mm	296 mm
Side Cut Range	6-9.5 m	6.5-9.5 m	7–10 m	8–11 m	9–12 m
Recommended stance	500 mm	520 mm	520 mm	540 mm	560 mm
Stance range (mm)	460-540	480-560	480-560	500-580	520-600
Rider weight	40-60 kg	50-65 kg	55-75 kg	60-85 kg	65-95 kg

#### OPTIONS

ArtNo.	Color	Length				
KS90.081 Spectra	white	1.48 m	1.53 m	1.58 m	1.63 m	1.68 m







# PRD 12 GW

- Grip walk System
- Full Diagonal (Heel and Toe)
- AFS Slide bearing element
- PowerRail/Triflex
- D-RX (Diagonal) Heel

Color: black/white Stand Height: 33.5 mm
DIN: 3.5 - 12
Weight: 2.06 kg

Art.-No. KS71.074



### FFP 12

- LX Toe with TRP System
- Full Diagonal (Heel and Toe)
- ABS Anti Blocking System
- LD Heel
- Dura-Coating

Color: black / white Stand Height: 21 mm (without plate)

DIN: 3 – 12 Weight: 2.28 kg

Art.-No. KS71.020



# SLR 10 GW

- Grip walk System
- Full Diagonal (Heel and Toe)
- AFS Slide bearing element
- Superlight Rail
- NX Heel

Color: white Stand Height: 28 mm DIN: 3 - 10 Weight: 1.80 kg

Art.-No. KS71.035



# RACE ST 14

- Stream Toe
- AFD ST Teflon
- Race Pro Heel

Color: black

Stand Height: 17 mm (without plate)

DIN: 4 – 14 Weight: 2.49 kg



Art.-No. KS71.021



#### SKI POLES

- EVA foam grip
- Carbon
- Race basket
- Flex steel tip
- system strap
- Ø 13/9 mm conical



#### Carbon pure black

our borr p	are blaci					
Size		110 cm	115 cm	120 cm	125 cm	130 cm
ArtNo.	KS74.010					
Carbon w	hite /					
Size	105 cm	110 cm	115 cm	120 cm	125 cm	130 cm

# SKIBAG

- For one pair of ski up tp 172 cm including poles
- Padded compartment; separate pole pocket
- Detachable shoulder strap

Art -No	KS73 010
ArtNo.	N5/3.010



#### CLOTHES

Art.-No. KS74.020

# Logo Polo (short sleeve)

95% Cotton, 5% Elastan, 230 g/ m2 Color: black

Size		S	М	L	XL
ArtNo.	KS98.030	(Men)			
Size	XS	S	М	L	
ArtNo.	KS98.040	(Ladies)			



### K.TECH ALPINE TI

The high-end plate binding for racers and extreme carvers. Improved power transmission and flex performance due to new bail geometry.

- 3 sizes for perfect flex performance
- Quick and direct power transmission
- Anodized Titanium coating for excellent looks and corrosion resistance
- Stiff side flex especially for very narrow boards and steep binding angles
- EDS-shock absorption system for full control
- Extremely stable due to extra thick 5.9 mm stainless steel bails



Size	S: 21.5 – 26.5	M: 24.5 – 27.5	L: 26.5 – 31.0
ArtNo.	KS91.010		

# Boardcover SL/GS



Size	M: 150-169	L: 170-185
ArtNo.	KS93.080	

# ROCKET CROSS

The K. Plate Rocket Cross has been designed to meet the highest demands of Boarder-Cross-Riders. Due to the increased elevation, the board can now get even more edge without the boot or binding touching the snow. The sleek form of the binding plate guarantees an equal application of pressure on the board whilst increasing the grip of the edges and improving riding stability.

The K. Plate Rocket Cross can be customised to the width of the board, and can be easily mounted on your own.

Length: 310 mm

Weight incl. screws: 1200 g

Adjustable width: 230, 242, 252 mm



Art.-No. KS91.031

# Boardcover X



Size	M: 148-159	L: 160-176
ArtNo.	KS93.090	





### SNOWBOARD



#### **HEADOFFICE**

#### **KESSLER-SWISS AG**

Sernftalstrasse 33 8762 Schwanden

Phone +41 41 511 79 90

info@kessler-swiss.com

#### SALES

#### SWITZERLAND/GERMANY/AUSTRIA

KESSLER-SWISS AG, Switzerland Phone: +41 41 511 79 90 info@kessler-swiss.com

#### ITALIA

Ivo Rudiferia Phone: +39 335 78 40 359 ivo.rudiferia@kessler-swiss.com



#### INTERNATIONAL DISTRIBUTION

#### AUSTRALIA

First Tracks Snowboards 1A Nuggets Crossing AUS - NSW 2627 Jindabyne Contact: Michael Smith Phone +61264561788 info@firsttracks.com.aus

#### CHINA

Auric Co.,Ltd Caochangdi 256-1,Cuigezhuang CHN - 100015 Beijing, Chaoyang District Contact: Kim Han Sol Phone +86 1025 1930 40 hansol@auricsports.com

#### JAPAN

Winckler & Co Ltd. 9-1, 4-chome Chojamachi, Naka-ku JP - 232-00 Yokohama Contact: Yasuto Horikawa Phone +81 788821970 snow@wslc.co.jp

ALL OTHER COUNTRIES: KESSLER-SWISS AG, Switzerland Phone +41 41 511 79 90 info@kessler-swiss.com

#### KAZAKHSTAN

Renat Shaimardanov Kazibek bi 29,11 KZ - 50010 Almaty Contact: Renat Shaimardarov Phone +7 7012040707 renat@agregator.kz

#### KOREA

H-Force Sung-won Hwang Banpo-dong 747-11 4th KP - 137-04 Seoch-gu, Seoul Phone +82 25327944 jj3046@naver.com

#### KOREA

KHB International L-7111 Living Dong Garden 5 Life KP - 138-96 Songpa-gu, Seoul Contact: Kyung Ho Lee Phone +82 264180468 dbehaos1@hanmail.net

#### RUSSIA

Genza Ltd. B. Pochtovaya 20 RU - 105082 Moscow Contact: Genza Gennady Phone +7 4992612322 genza@genza.ru

#### SLOVENIA

Medi-sport, d.o.o. Stula 13 SL - 1210 Ljubljana Contact: Ales Rogelj Phone +38 641394972 ales.rogelj@kessler.si

#### TURKEY

Eskapi Kar Sporlari Tic. Ltd. Sti. Atatürk Cad. Pitrak Sok. 16a TR - 34813 Anadolu Hisari, Istanbul Contact: Hakan Severge Phone +1 90 216465775 hseverge@turkski.org